

# MASTER BASE

Generatoare 100 - 700 kVA

1500 r.p.m. 50 Hz 400/230 V - 1800 r.p.m. 60 Hz 480/240 V

## Racite cu lichid



Model	Putere 50 Hz				Curent cosφ 0.8	Putere maxima			Dimensiune ***A x B x C cm	Greutate net Kg	Putere 60 Hz	
	*LTP KVA	*PRP KW	*PRP KVA	*PRP KW		**RES KW	**IND KW	**MIX KW			*PRP KVA	*PRP KW
GE. VO 115/105-BF	115	92	105	84	152	68	44	56	220 x 88 x 175	920	115	92
GE. VO 150/135-BF	150	120	135	108	217	89	58	73	220 x 88 x 175	1.030	150	120
GE. VO 165/150-BF	165	132	150	120	238	102	66	84	252 x 92 x 173	1.280	165	132
GE. VO 205/185-BF	205	164	185	148	296	125	81	103	256 x 105 x 182	1.429	205	164
GE. VO 225/205-BF	225	180	205	164	325	140	90	115	266 x 106 x 182	1.590	225	180
GE. VO 275/250-BF	275	220	250	200	397	170	110	140	265 x 110 x 185	1.731	275	220
GE. VO 305/275-BF	305	244	275	220	441	187	121	154	275 x 112 x 195	1.845	305	244
GE. VO 360/325-BF	358	286	325	260	517	221	143	182	275 x 112 x 195	1.935	358	286
GE. VO 410/375-BF	410	328	375	300	592	255	165	210	300 x 112 x 195	2.440	410	328
GE. VO 450/410-BF	451	361	410	328	652	278	180	230	300 x 112 x 195	2.580	451	361
GE. VO 510/460-BF	510	408	460	368	737	312	202	257	318 x 117 x 216	2.730	510	408
GE. VO 550/500-BF	550	440	500	400	795	340	220	280	318 x 117 x 216	3.030	550	440
GE. VO 630/570-BF	630	504	570	456	910	387	250	320	340 x 117 x 216	3.280	630	504
GE. VO 700/630-BF	700	568	630	504	1.026	428	277	352	345 x 141 x 220	3.560	710	568



GE. IS 11/10-SS
GE. IS 17/15-SS
GE. IS 21/19-SS
GE. DZ 35/30-SS
GE. DZ 44/40-SS
GE. CU 55/50-SS
GE. CU 70/65-SS
GE. CU 90/80-SS
GE. CU 110/100-SS
GE. CU 150/135-SS
GE. VO 165/150-SS
GE. CU 205/185-SS
GE. CU 225/205-SS
GE. VO 275/250-SS
GE. VO 305/275-SS
GE. VO 360/325-SS
GE. VO 410/375-SS
GE. VO 450/410-SS
GE. VO 510/460-SS
GE. VO 550/500-SS
GE. VO 630/570-SS
GE. VO 700/630-SS